

**ASME B30.2-2011**  
(Revision of ASME B30.2-2005)

# Overhead and Gantry Cranes

(Top Running Bridge, Single or  
Multiple Girder, Top Running  
Trolley Hoist)

---

**Safety Standard for Cableways,  
Cranes, Derricks, Hoists, Hooks, Jacks,  
and Slings**

AN AMERICAN NATIONAL STANDARD



The American Society of  
Mechanical Engineers

**ASME B30.2-2011**  
(Revision of ASME B30.2-2005)

# Overhead and Gantry Cranes

(Top Running Bridge, Single or  
Multiple Girder, Top Running  
Trolley Hoist)

---

**Safety Standard for Cableways,  
Cranes, Derricks, Hoists, Hooks, Jacks,  
and Slings**

AN AMERICAN NATIONAL STANDARD



The American Society of  
Mechanical Engineers

Three Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 29, 2011

The next edition of this Standard is scheduled for publication in 2016. This Standard will become effective 1 year after the Date of Issuance. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org> as they are issued and will also be included with each edition.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Three Park Avenue, New York, NY 10016-5990

Copyright © 2011 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved  
Printed in U.S.A.



2-0.2-3	Overhead Crane .....	3
2-0.2-4	Semigantry Crane .....	3
2-0.2-5	Wall Crane .....	3
2-1.13.3-1	Recommended Arrangement of Controllers or Master Switches (Three-Motor Crane) .....	14
2-1.13.3-2	Recommended Arrangement of Controllers or Master Switches (Four-Motor Crane) .....	14
2-1.13.3-3	Recommended Arrangement of Controllers (Pendant Push-Button Station Arrangement) .....	15
2-1.13.3-4	Recommended Arrangement of Controllers (Radio Crane Control Transmitter Lever Arrangement) .....	15
2-3.6.1-1	Standard Hand Signals for Controlling Overhead and Gantry Cranes ....	25